

# Veeto Hobbies India

Plot no. 413, HSIIDC Industrial Area (Saha), Ambala (Haryana)  
Website: www.veeto.co.in, E-mail: veetohobbies@hotmail.com

## MATERIAL SAFETY DATA SHEET SOLVENT GREEN - 7

### **SECTION 1: Identification of the substance/mixture and of the Company/ Undertaking**

#### **· 1.1 Product identifier**

· **Trade name:** Solvent Green 7

· **CAS Number:**

6358-69-6

· **EC number:**

228-783-6

· **Registration number** 01-2120115886-50-0000

#### **· 1.2 Relevant identified uses of the substance or mixture and uses advised against**

##### **· Life cycle stages**

IS Use at industrial Sites

PW Widespread use by professional workers  
F Formulation or re-packing

##### **· Sector of Use**

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites  
SU 5 Manufacture of textiles, leather, fur.

SU 6a Manufacture of wood and wood products.  
SU 7 Printing and reproduction of recorded media.  
SU9 Manufacture of fine chemicals

SU 10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys).

SU 22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU23 Electricity, steam, gas water supply and sewage treatment  
SU 0 Other: Preservation and sanitation agent.

##### **· Product category**

PC3 Air care products

PC 4 Anti-freeze and de-icing products  
PC 17 Hydraulic fluids

PC 18 Ink and toners

PC 19 Intermediate

PC 21 Laboratory chemicals

PC35 Washing and cleaning products (including solvent based products)  
PC 39 Cosmetics, personal care products

##### **· Process category**

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC4 Chemical production where opportunity for exposure arises

PROC5 Mixing or blending in batch processes

PROC 6 Calendering

operations.  
PROC7 Industrial spraying

(Contd. on page 2)

# Veeto Hobbies India

Plot no. 413, HSIIDC Industrial Area (Saha), Ambala (Haryana)  
Website: www.veeto.co.in, E-mail: veetohobbies@hotmail.com

---

## MATERIAL SAFETY DATA SHEET SOLVENT GREEN - 7

(Contd. of page 1)

- PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities*
- PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities*
- PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)*
- PROC10 Roller application or brushing*
- PROC11 Non industrial spraying*
- PROC13 Treatment of articles by dipping and pouring*
- PROC19 Manual activities involving hand contact*
- **Environmental release category**
  - ERC 1 Manufacture of the substance.*
  - ERC2 Formulation into mixture*
  - ERC3 Formulation into solid matrix*
  - ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article).*
  - ERC5 Use at industrial site leading to inclusion into/onto article.*
  - ERC6a Use of intermediate*
  - ERC6b Use of reactive processing aid at industrial site (no inclusion into or onto article).*
  - ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)*
  - ERC8c Widespread use leading to inclusion into/onto article (indoor).*
  - ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor).*
  - ERC8f Widespread use leading to inclusion into/onto article (outdoor).*
  - ERC10a Widespread use of articles with low release (outdoor)*
  - ERC11a Widespread use of articles with low release (indoor)*
- **Article category**
  - AC 8 Paper articles*
  - AC 13 Plastic articles*
- **Application of the substance / the mixture**
  - manufacturing of the substance.*
  - used as a Laboratory chemical.*
  - used in automotive care products, paints and coating or adhesives, fragrances and air fresheners, inks and toners, food packaging material, cosmetics, and personal care products. Used in water systems to detect leakages.*

(Contd. on page 3)

IN

# Veeto Hobbies India

Plot no. 413, HSIIDC Industrial Area (Saha), Ambala (Haryana)  
Website: www.veeto.co.in, E-mail: veetohobbies@hotmail.com

## MATERIAL SAFETY DATA SHEET SOLVENT GREEN - 7

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
*The substance is not classified, according to the CLP regulation.*
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** *Not applicable*
- **Hazard pictograms** *No pictogram*
- **Signal word** *No signal word*
- **Hazard statements** *Not applicable.*
- **2.3 Other hazards**  
*The substance has no endocrine-disrupting properties according to Regulation (EU) 2017/2100*
- **Results of PBT and vPvB assessment**
- **PBT:** *The substance is not PBT.*
- **vPvB:** *The substance is not vPvB.*

### SECTION 3: Composition/information on ingredients

- **3.1 Chemical characterisation: Substances**
- **CAS No. Description**  
6358-69-6 trisodium 8-hydroxypyrene-1,3,6-trisulphonate
- **Identification number(s)**
- **EC number:** 228-783-6
- **Additional information:**  
Molecular Formula: C<sub>16</sub>H<sub>7</sub>O<sub>10</sub>S<sub>3</sub>.3Na  
Molecular Weight: 524.37 g/mol  
IUPAC Name: Trisodium 8-hydroxypyrene-1,3,6-trisulphonate  
Synonyms: Neelink - Solvent Green 7  
C.I. 59040  
Pyranine

(Contd. on page 4)  
IN

# Veeto Hobbies India

Plot no. 413, HSIIDC Industrial Area (Saha), Ambala (Haryana)  
Website: www.veeto.co.in, E-mail: veetohobbies@hotmail.com

## MATERIAL SAFETY DATA SHEET SOLVENT GREEN - 7

(Contd. of page 3)

- **SVHC** the substance is not listed in current SVHC list.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**  
*First aid personnel should pay attention to their own safety.  
Do not leave affected persons unattended.*
- **After inhalation:**  
*After inhalation of greater quantities of dust, take affected person to fresh air.  
Encourage patient to blow nose to ensure clear passage of breathing.*
- **After skin contact:**  
*Generally, the product does not irritate the skin.  
In case of contact with skin, clean with soap and water.*
- **After eye contact:**  
*Eyelids should be held away from the eyeball to ensure thorough rinsing.  
Rinse opened eye for several minutes under running water.*
- **After swallowing:**  
*Clean mouth by gargling with water.  
Do not induce vomiting  
Drink plenty of water.*
- **Information for doctor:** *Treat symptomatically and supportively.*
- **4.2 Most important symptoms and effects, both acute and delayed**  
*No further relevant information available.*
- **4.3 Indication of any immediate medical attention and special treatment needed**  
*No further relevant information available.*

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
*powder or water spray.  
Fight larger fires with water spray or alcohol resistant foam.*
- **For safety reasons unsuitable extinguishing agents:** *Water with full jet*
- **5.2 Special hazards arising from the substance or mixture**  
*carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), sulfur oxides (SO<sub>x</sub>), other pyrolysis products  
typical of burning organic material.*
- **5.3 Advice for firefighters**  
*Use standard fire fighting procedures.  
If safe to do so, remove containers from path of fire.  
Use water delivered as a fine spray to control fire and cool adjacent area.*

(Contd. on page 5)

IN

# Veeto Hobbies India

Plot no. 413, HSIIDC Industrial Area (Saha), Ambala (Haryana)  
Website: www.veeto.co.in, E-mail: veetohobbies@hotmail.com

## MATERIAL SAFETY DATA SHEET SOLVENT GREEN - 7

(Contd. of page 4)

· **Protective equipment:**

*Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus.*

### SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

*Ensure adequate ventilation*

*Avoid formation of dust.*

*Wear protective equipment. Keep unprotected persons away.*

· **6.2 Environmental precautions:**

*Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.*

*If the product contaminates rivers and lakes or sewers inform respective authorities.*

· **6.3 Methods and material for containment and cleaning up:**

*Sweep up, shovel up or vacuum up (consider explosion-proof machines designed to be grounded during storage and use).*

*Place spilled material in clean, dry, sealable, labeled container*

· **6.4 Reference to other sections**

*See Section 7 for information on safe handling.*

*See Section 8 for information on personal protection equipment.*

*See Section 13 for disposal information.*

### SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

*Avoid contact with eyes.*

*Any unavoidable deposit of dust must be regularly removed.*

*Do not eat, drink, or smoke while using this product.*

*Provide appropriate exhaust ventilation at places where dust is formed.*

· **Information about fire - and explosion protection:**

*Normal measures for preventive fire protection.*

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

*Check all containers are clearly labelled and free from leaks.*

*Store in ambient temperature and dry Place.*

*Provide proper ventilation/exhaustion.*

· **Information about storage in one common storage facility:**

*keep away from food materials*

*keep away from oxidizing agents i.e. nitrates, oxidizing acids, chlorine bleaches*

(Contd. on page 6)

IN

# Veeto Hobbies India

Plot no. 413, HSIIDC Industrial Area (Saha), Ambala (Haryana)  
Website: www.veeto.co.in, E-mail: veetohobbies@hotmail.com

## MATERIAL SAFETY DATA SHEET SOLVENT GREEN - 7

(Contd. of page 5)

- **Further information about storage conditions:**  
Store in dry conditions.  
Check regularly for leaks.  
Caution when reopening receptacles with broken seal.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:** Not required.
- **DNELs**  
Data for WORKERS  
INHALATION Exposure  
Systemic Effects Long-term: (DNEL) 16.4 mg/m<sup>3</sup> developmental toxicity / teratogenicity  
DERMAL Exposure  
Systemic Effects Long-term: (DNEL) 30 µg/kg bw/day repeated dose toxicity  
  
Data for the GENERAL POPULATION  
INHALATION Exposure  
Systemic Effects Long-term: (DNEL) 2.9 mg/m<sup>3</sup> developmental toxicity / teratogenicity  
DERMAL Exposure  
Systemic Effects Long-term: (DNEL) 3.57 µg/kg bw/day repeated dose toxicity  
ORAL Exposure  
Systemic Effects Long-term: (DNEL) 1.67 mg/kg bw/day developmental toxicity / teratogenicity
- **PNECs**  
Hazard for Aquatic Organisms  
Freshwater: 100 µg/L  
Intermittent releases (freshwater): 1 mg/L  
Marine water: 10 µg/L  
Intermittent releases (marine water): 100 µg/L  
Sewage treatment plant (STP): No hazard identified  
Sediment (freshwater): 2.06 mg/kg sediment dw  
Sediment (marine water): 206 µg/kg sediment dw  
Hazard for Terrestrial Organism  
Soil: 353 µg/kg soil dw
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:**  
Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 7)

IN

# Veeto Hobbies India

Plot no. 413, HSIIDC Industrial Area (Saha), Ambala (Haryana)  
Website: www.veeto.co.in, E-mail: veetohobbies@hotmail.com

## MATERIAL SAFETY DATA SHEET SOLVENT GREEN - 7

### · **Protection of hands:**



*Protective gloves*

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*

*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

### · **Material of gloves**

*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.*

### · **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

### · **Eye protection:**



*Tightly sealed goggles*

*Safety glasses*

### · **Body protection:** *Standard work wear and safety boots for normal handling and use.*

## SECTION 9: Physical and Chemical properties

### · **9.1 Information on basic physical and chemical properties**

#### · **General Information**

· <b>Appearance:</b>	<i>Solid</i>
· <b>Form:</b>	<i>Powder</i>
· <b>Colour:</b>	<i>Greenish Yellow</i>
· <b>Odour:</b>	<i>Characteristic</i>
· <b>Odour threshold:</b>	<i>Not applicable</i>
· <b>pH-value :</b>	<i>5 - 7 (1% Solution in Water )</i>
· <b>Change in condition</b>	
· <b>Melting point/freezing point:</b>	<i>Not applicable</i>
· <b>Initial boiling point and boiling range:</b>	<i>Not applicable</i>
· <b>Flash point:</b>	<i>the flash point is only a relevant property for liquids; thus it does not need to be done for substances that are solids or gases at room temperature</i>

(Contd. on page 8)

IN



# Veeto Hobbies India

Plot no. 413, HSIIDC Industrial Area (Saha), Ambala (Haryana)  
Website: www.veeto.co.in, E-mail: veetohobbies@hotmail.com

## MATERIAL SAFETY DATA SHEET SOLVENT GREEN - 7

· <b>Flammability (solid, gas):</b>	<i>Product is not flammable</i>
· <b>Decomposition temperature:</b>	<i>252 -258.5 °C</i>
· <b>Explosive properties:</b>	<i>Product does not present an explosion hazard</i>
· <b>Explosion limits:</b> Lower:	<i>Not applicable</i>
Upper:	<i>Not applicable</i>
· <b>Oxidising properties</b>	<i>non oxidising</i>
· <b>Vapour pressure:</b>	<i>Vapour pressure value could not be determined as the substance decomposes</i>
· <b>Bulk Density:</b>	<i>0.5 - 0.8 g/cm<sup>3</sup>(After tapping)</i>
· <b>Evaporation rate</b>	<i>Not applicable</i>
· <b>Solubility in / Miscibility with water at 31 °C:</b>	<i>100.0 g/l</i>
· <b>Partition coefficient: n-octanol/water at 25 °C:</b>	<i>-3.97 log POW</i>
· <b>9.2 Other information</b>	<i>Particle size distribution (Granulometry): The particle size distribution was determined to be in the range of 150 micron to 25 micron.</i>

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** *No further relevant information available.*
- **10.2 Chemical stability** *Stable at ambient temperature and under normal conditions of use.*
- **Thermal decomposition / conditions to be avoided:**  
*No decomposition if used according to specifications.*
- **10.3 Possibility of hazardous reactions**  
*Under normal conditions of storage and use, hazardous reactions will not occur.*
- **10.4 Conditions to avoid** *contact with incompatible materials.*
- **10.5 Incompatible materials:** *oxidizing agents i.e. nitrates, oxidizing acids, chlorine bleaches*
- **10.6 Hazardous decomposition products:**  
*carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), sulfur oxides (SO<sub>x</sub>), other pyrolysis products typical of burning organic material.*

IN  
(Contd. on page 9)



# Veeto Hobbies India

Plot no. 413, HSIIDC Industrial Area (Saha), Ambala (Haryana)  
Website: www.veeto.co.in, E-mail: veetohobbies@hotmail.com

## MATERIAL SAFETY DATA SHEET SOLVENT GREEN - 7

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data; the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

Oral	LD50	>15000 mg/kg bw (rat (Wistar)male) (OECD TG 401)
Dermal	LD50	>2000 mg/kg bw (rat (Sprague-Dawley)male/female) (OECD TG 402)

- **Primary irritant effect:**

- **Skin corrosion/irritation**

A study was performed to evaluate the dermal irritation potential of the test chemical in rabbits. 6 rabbits were used for the study. The animals were conventionally kept in single cages and were given an appropriate diet and tap water ad libitum. Only animals with uninjured skin were used. Each animal was given approximately 0.5 g of the test sample diluted with water on a plaster bandage fixed on the shaved back skin. The back skin not treated with the test chemical served as a control. After removing the dressing, the exposed areas of the skin were washed with soap and water. The exposure time was 24 h. The follow-up time was 7 days. The findings were collected 24 and 72 hours after the end of exposure, even after 7 days. The extent of erythema or edema formation according to DRAIZE and all other conspicuous findings were recorded. The mean erythema and edema scores were 0,0 respectively. The test chemical was considered not irritating to rabbit skin.

- **Serious eye damage/irritation**

The eye potential of the test chemical was evaluated in rabbits. Following application of the neat test material, all animals showed slight conjunctival redness which in five of 6 animals was completely reversible within 72 hours, and in one animal within 7 days. In two animals, very slight tear flow occurred after application which also was completely reversible within 48 hours. Following application of a 30% aqueous solution of the test material, all animals showed slight conjunctival redness (max. score 1) one hour after application which was completely reversible within 24 hours. Following application of a 3% aqueous solution, three animals showed slight conjunctival redness (max. score 1) at 24 hours after application which was completely reversible within 48 hours. Since the observed effects were reversible by 7 days, the test chemical can be considered to be not irritating to rabbit eyes.

- **Respiratory or skin sensitisation**

Skin sensitisation:

The sensitization potential of D&C Green 8 was determined by performing patch tests on humans.

The dye was applied in Finn Chambers and read first at 2 or (more commonly) 3 days and again at 4–7 days. The reactions of the patients were graded as '?+', '+', and '++' categories. 9 patients were tested with the dye. No reactions were reported by all the patients

D&C Green 8 can be considered as a non- sensitizer in humans.

- **Additional toxicological information:**

- **Repeated dose toxicity**

Repeated dose toxicity: Oral

90 days toxicity study was conducted in rats with test substance fed at dietary levels of 50,500 and 5000mg/kg/day. (100, 1000, 10000 ppm) Therefore No Observed Adverse Effect

(Contd. on page 10)

# Veeto Hobbies India

Plot no. 413, HSIIDC Industrial Area (Saha), Ambala (Haryana)  
Website: www.veeto.co.in, E-mail: veetohobbies@hotmail.com

## MATERIAL SAFETY DATA SHEET SOLVENT GREEN - 7

(Contd. of page 9)

Level (NOAEL) for repeated oral administration of test substance in rats was considered to be 500mg/kg bw for 90 days by oral feed.

### *Repeated dose toxicity: dermal*

In a two-year study 60 mice were applied once a week with 3.5 mg substance (0.05 ml of a 7% solution) for 2 years. The No Observed Adverse Effect Level (NOAEL) for repeated dermal exposure to test substance in 60 mice for 2 years is 3.5 mg (0.05 ml of a 7% solution)

Result: Based on the data for the test chemical, Solvent Green 7 is not likely to exhibit repeated dose toxicity.

### · **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

#### · **Germ cell mutagenicity**

In vitro mammalian chromosome aberration test for 7-amino-4-hydroxynaphthalene-2-sulphonic acid in chinese hamster lung cells was found to be negative.

In-vitro bacterial reverse mutation assay test for 7-amino-4-hydroxynaphthalene-2-sulphonic acid on Salmonella typhimurium strains TA 100; TA 1535; TA 1537; TA; TA 97; without S9 metabolic activation does not exhibit positive gene mutation effect.

· **Carcinogenicity** No further relevant information available.

#### · **Reproductive toxicity**

##### *Reproductive toxicity study*

NOAEL was considered to be 500mg/kg bw/day for F0, F1 and F2 generation. When male and female Charles River CD rats were treated with test material orally. no treatment-related effects were reported on survival. No treatment-related changes were reported at gross necropsy. There were no substance related effects on fertility, gestation, pup viability or lactation indices, on reproductive organs of females, or on organ weights among parents and offspring.

There was no toxicity to either the F1 or F2 generation.

#### · **STOT-single exposure**

##### *Oral:*

No symptoms were observed after single doses of 5000 and 15000 mg/kg.

Growth was not delayed in either treatment group.

##### *Dermal:*

Administration of the test item at 2000 mg/kg did not result in any signs of toxicity and mortality during the study period of 14 days. Animals exhibited normal body weight gain through the study period.

Gross pathological examination did not reveal any abnormalities attributable to the treatment.

· **STOT-repeated exposure** Based on available data; the classification criteria are not met.

#### · **Aspiration hazard**

The particle size distribution of test substance was determined to be in the range of 150 micron to 25 microns. Thus, it is concluded that the majority of the particle size of the chemical is not in the inhalable size which is less than 10 microns.

exposure to humans via inhalation route is not likely taking into account due to the low vapour pressure of the test chemical.

(Contd. on page 11)

IN

# Veeto Hobbies India

Plot no. 413, HSIIDC Industrial Area (Saha), Ambala (Haryana)  
Website: www.veeto.co.in, E-mail: veetohobbies@hotmail.com

## MATERIAL SAFETY DATA SHEET SOLVENT GREEN - 7

(Contd. of page 10)

Based on available data, test chemical is unlikely to cause aspiration hazard.

- **11.2.1 Endocrine -disrupting properties:** The substance has no endocrine- Disrupting properties according to Regulation (EU) 2017/2100.
- **11.2.2 Information on other hazards :** No further information is available

### SECTION 12: Ecological information

#### · 12.1 Toxicity

##### · Aquatic toxicity:

48h-EC50	500.3 mg/L ( <i>Daphnia magna</i> ) (OECD TG 202)
96h-LC50	>100 mg/L ( <i>Danio rerio</i> ) (OECD TG 203)

#### · 12.2 Persistence and degradability

Biodegradation in water: screening tests

The test chemical undergoes 38.59 % biodegradation after 28 days in the test condition.

Thus, the test item was considered to be primary inherently biodegradable.

#### · 12.3 Bioaccumulative potential

Bioaccumulation endpoint can also be considered for waiver as per in accordance with column 2 of Annex IX of the REACH regulation, testing for this endpoint is scientifically not necessary and does not need to be conducted since the test chemical has a low potential for bioaccumulation based on  $\log K_{ow} \leq 3$ .

#### · 12.4 Mobility in soil

The sorption of test chemical on natural sediment was evaluated by a series of batch experiments on solution of different salinities. Percent adsorption of test chemical was 29–53% (0.01 DSW), 38–59% (0.5 DSW) and 64–88% (DSW), except for sample B3 (41%, 83% and 98%, 0.01 DSW, 0.5 DSW and DSW, respectively). On the basis of this, test chemical has low to moderate sorption on sediments and therefore have moderate to slow migration potential to groundwater.

#### · 12.5 Results of PBT and vPvB assessment

· **PBT:** The substance is not PBT.

· **vPvB:** The substance is not vPvB.

**Endocrine-disrupting properties:** The substance has no endocrine disrupting properties according to Regulation (EU) 2017/2100.

**Other adverse effects :** No further relevant information available.

### SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

##### · Recommendation

Consult state, local or national regulations to ensure proper disposal.

Smaller quantities can be disposed of with household waste.

(Contd. on page 12)

# Veeto Hobbies India

Plot no. 413, HSIIDC Industrial Area (Saha), Ambala (Haryana)  
Website: www.veeto.co.in, E-mail: veetohobbies@hotmail.com

## MATERIAL SAFETY DATA SHEET SOLVENT GREEN - 7

(Contd. of page 11)

- **Uncleaned packaging:**
- **Recommendation:**  
*Dispose of packaging according to regulations on the disposal of packaging.*

### SECTION 14: Transport information

- |   |                        |
|---|------------------------|
| · <b>14.1 UN-Number</b><br>· <b>ADR, ADN, IMDG, IATA</b>                                    | <i>Not regulated</i>   |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR, ADN, IMDG, IATA</b>                      | <i>Not regulated</i>   |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR, ADN, IMDG, IATA</b><br>· <b>Class</b> | <i>Not regulated</i>   |
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>                                     | <i>Not regulated</i>   |
| · <b>14.5 Environmental hazards:</b><br>· <b>Marine pollutant:</b>                          | <i>No</i>              |
| · <b>14.6 Special precautions for user</b>  | <i>Not applicable.</i> |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>            | <i>Not applicable.</i> |
| · <b>UN "Model Regulation":</b>   | <i>Not regulated</i>   |

### SECTION 15: Regulatory information

- **15.1 Safety, health, and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008** *Not applicable*
- **Hazard pictograms** *Not applicable*
- **Signal word** *Not applicable*
- **Hazard statements** *Not applicable*
- **Precautionary statements** *Not applicable*
  
- **Other regulations, limitations, and prohibitive regulations**  
*Australia-AIIC: Listed*  
*China-IECSC: Listed*  
*Canada-DSL: Listed*  
*US-EPA STCA: Listed*

(Contd. on page 13)

IN

# Veeto Hobbies India

Plot no. 413, HSIIDC Industrial Area (Saha), Ambala (Haryana)  
Website: [www.veeto.co.in](http://www.veeto.co.in), E-mail: [veetohobbies@hotmail.com](mailto:veetohobbies@hotmail.com)

## MATERIAL SAFETY DATA SHEET SOLVENT GREEN - 7

(Contd. of page 12)

*Taiwan-TCSI: Listed*  
*EU-EINECS: Listed*  
*ECHA-Annex III: Listed*  
*Philippine-PICCS: Listed*  
*New Zealand-NZIoC: Listed*  
*Korea-KE Number: KE-08552*  
*Thailand-First Existing Chemicals Inventory: Listed*  
*Vietnam National Chemical Inventory (Draft): Listed*  
*EU - Cosmetic Ingredients and Fragrance Inventory: Listed*  
*Mexico-National Inventory of Chemical Substances: Listed*  
· **Substances of very high concern (SVHC) according to REACH, Article 57**  
*the substance is not listed in current SVHC list.*  
· **15.2 Chemical safety assessment:**  
*Chemical Safety Report not required as the substance is not classified.*

### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing SDS:** *Product safety department.*

· **Contact:** *Mr. Vijay Mehra*  
· **Email:** [veetohobbies@hotmail.com](mailto:veetohobbies@hotmail.com)  
· **Mob:** *7027002328/29/75*

· **Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*  
*IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)*  
*ICAO: International Civil Aviation Organisation*  
*ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)*  
*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*  
*IMDG: International Maritime Code for Dangerous Goods*  
*IATA: International Air Transport Association*  
*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*  
*EINECS: European Inventory of Existing Commercial Chemical Substances*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*DNEL: Derived No-Effect Level (REACH)*  
*PNEC: Predicted No-Effect Concentration (REACH)*  
*LC50: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*  
*PBT: Persistent, Bioaccumulative and Toxic*  
*SVHC: Substances of Very High Concern*  
*vPvB: very Persistent and very Bioaccumulative*

· **Sources**

*REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on classification, labelling and packaging of substances and mixtures, amending*

(Contd. on page 14)

# Veeto Hobbies India

Plot no. 413, HSIIDC Industrial Area (Saha), Ambala (Haryana)  
Website: www.veeto.co.in, E-mail: veetohobbies@hotmail.com

## MATERIAL SAFETY DATA SHEET SOLVENT GREEN - 7

(Contd. of page 13)

and repealing COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending  
Annex II to Regulation (EC) No. 1907/2006

- Data from ECHA Dossier for CAS 6358-69-6:

<https://echa.europa.eu/registration-dossier/-/registered-dossier/17360/1/1>

- Data from ToxPlanet:

<https://chemical-search.toxplanet.com//product-search/chem-id/ei-fts-search/cfcc2d4d-d7ad-4e3c-83d3-8092b2dfaa60>

• **Data compared to the previous version altered.**

- Section 1: Identification of substance and company
- Section 2: Hazards classification
- Section 3: Composition /information on ingredient
- Section 4: First-aid measures.
- Section 5: Fire-fighting measures
- Section 6: Accidental Release measures
- Section 7: Handling and storage.
- Section 8: Exposure Controls/Personal protection.
- Section 9: Physical and Chemical properties.
- Section 10: Stability and Reactivity.
- Section 11: Toxicological Information.
- Section 12: Ecological Information.
- Section 13: Disposal consideration.
- Section 14: Transport information
- Section 15: Regulatory Information
- Section 16: Other information

IN

### Disclaimer :

The information and recommendations contained herein are, to the best of our knowledge and belief, accurate and reliable as of the date issued. You can contact Veeto Hobbies India to ensure that this document is the most current available from Veeto Hobbies India. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy himself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe- handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re- publication or retransmission of this document, in whole or in part, is not permitted.